



Screed Description	Page No	EN 13813 designation
Tarmac Hi-Flow Renovation	2	EN 13813 CT-C25-F7
Tarmac Hi-Flow Commercial	2	EN 13813 CT-C25-F7
Tarmac Hi-Flow Base	2	EN 13813 CT-C25-F7
Tarmac Hi-Flow Tuftop	3	EN 13813 CT-C30-F7-AR0,5



Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton, WV1 1LH.

13
DoP No. 012

EN 13813 CT-C25-F7

Cementitious levelling compound for substrates in interior locations

Reaction to fire: Euroclass E
Release of corrosive substances: CT
Water permeability: NPD
Water vapour permeability: NPD
Compressive strength: C25
Flexural strength: F7
Wear resistance: NR
Sound insulation: NPD
Sound absorption: NPD
Thermal resistance: NPD
Chemical resistance: NPD



Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton, WV1 1LH.

13
DoP No. 012

EN 13813 CT-C30-F7-AR0,5

Cementitious levelling compound for substrates in interior locations

Reaction to fire: Euroclass E
Release of corrosive substances: CT
Water permeability: NPD
Water vapour permeability: NPD
Compressive strength: C30
Flexural strength: F7
Wear resistance: AR0,5
Sound insulation: NPD
Sound absorption: NPD
Thermal resistance: NPD
Chemical resistance: NPD